



System change to mitigate overdiagnosis and overtreatment: How to ensure 'just enough medicine'?

Natalie Armstrong

Professor of Healthcare Improvement Research & Health Foundation Improvement Science Fellow

SAPPHIRE Group, Department of Health Sciences

University of Leicester

@drnatarmstrong











ANALYSIS

Too much medicine in older people? Deprescribing through shared decision making

Jansen and colleagues explore the role of shared decision making in tackling inappropriate polypharmacy in older adults





CC BY 2.0 Michael Janke



SPECIAL ARTICLE

Implementation and de-implementation: two sides of the same coin?

Leti van Bodegom-Vos, 1 Frank Davidoff, 2 Perla J Marang-van de Mheen 3



per million cuer n le in danger or non than equire is and lent him the me mmon in re-search1 ri'ssitf. [plural] 1 serious s bject, that discover new facts ideas icer resea research into s a research ing informati student rested in or need to lab doing some research for one some research -





CC BY 2.0 Michael Janke



Original Investigation

July 2017

Experience of US Patients Who Self-identify as Having an Overdiagnosed Thyroid Cancer

A Qualitative Analysis

Louise Davies, MD, MS^{1,2,3}; Chase D. Hendrickson, MD, MPH^{3,4}; Gregory S. Hanson, MPH⁵

» Author Affiliations

JAMA Otolaryngol Head Neck Surg. 2017;143(7):663-669. doi:10.1001/jamaoto.2016.4749









